

A

PTO/SB/05 (12/97)

Approved for use through 09/30/00. ONB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Please type a plus sign (+) inside this box → ☐

07/20/99

U.S. PTO

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney docket No. CY-98055

Total Pages 23

First Named Inventor or Application Identifier

John C. Thacker

Express Mail Label No.

EJ733561400US

07/20/99
PTO
09/3561400US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages 10]
(preferred arrangement set forth below)
- Descriptive title of the Invention
- Cross Reference to Related Applications
- Statement Regarding Fed sponsored R & D
- Reference to Microfiche Appendix
- Background of the Invention
- Brief Summary of the Invention
- Brief Description of the Drawings (if filed)
- Detailed Description
- Claim(s)
- Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) [Total Sheets 3]
4. Oath of Declaration [Total Pages 2]
a. ☐ Newly executed (original copy)
b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting
inventor(s) named in the prior application,
see 37 CFR 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a
copy of the oath of declaration is supplied under Box 4b,
is considered as being part of the disclosure of the
accompanying application and is hereby incorporated
by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
a. ☐ Computer Readable Copy
b. ☐ Paper Copy (identical to computer copy)
c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement [] Power of Attorney
(when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure [] Copies of IDS
Statement (IDS)/PTO-1448 Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity [] Statement filed in prior application,
Statement(s) Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐ Other: Certificate of Express Mailing

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Reissue ☐ Continuation-in-part (CIP) of prior application No: _____

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label:

or ☒ Correspondence address below

(Insert Customer No. or Attach bar code label here)

NAME

Joyce Kosinski

ADDRESS

Loral Space and Communications, Ltd.
655 Deep Valley Drive, Suite 385

CITY

Rolling Hills Estates

STATE

CA

ZIP CODE

90274

COUNTRY

USA

TELEPHONE

(310) 265-9585

FAX

(310) 265-9545

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

PATENT
CY-98055

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: John C. Thacker et al. : Date: July 20, 1999
Serial No. : Group Art Unit:
Filed: : Examiner:
For: Method and Apparatus for Internet Cache Content : Batch No.:
Delivery Via a Data Distribution System

**CERTIFICATE OF MAILING
UNDER 37 CFR 1.10**

The Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

Identification of Transmitted Papers

Utility Patent Application Transmittal form, patent application comprising nine (9) pages plus a cover page, three (3) sheets of drawing, Combined Declaration and Power of Attorney, Transmittal Letter in duplicate, Assignment for recording, Form 1595 - Assignment Cover letter, cheque in the amount of \$800.00, and return receipt postcard

CERTIFICATION OF EXPRESS MAIL DEPOSIT

"EXPRESS MAIL" MAILING LABEL NO. EJ733561400US

DATE OF DEPOSIT - July 20, 1999

I hereby certify that the above-identified correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service, under 37 CFR 1.10, on the date indicated above and addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.



Kenneth W. Float
Reg. No. 29,233

The Law Offices of Kenneth W. Float
Office Address: 2 Shire, Coto de Caza, CA 92679
Mailing Address: PO Box 80790, Rancho Santa Margarita, CA 92688
Telephone: (949) 459-5519
Facsimile: (949) 459-5520

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
FEE TRANSMITTAL LETTER

July 20, 1999

The Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

Transmitted herewith for filing the patent application, including four (4) sheet(s) of drawing,
of inventor(s): John C. Thacker et al.
for: Method and Apparatus for Internet Cache Content Delivery Via a Data Distribution System

Applicant is a small entity ☐; large entity ☒

The filing fee for this application is calculated below:

FOR:	CLAIMS AS FILED	RATE	TOTAL
Basic Fee		\$ 760.00 =	\$ 760.00
Total Claims	12 - 20 = 0 times	\$ 18.00 =	\$ 0.00
Independent Claims	3 - 3 = 0 times	\$ 78.00 =	\$ 0.00
Multiple Dependent Claims	0 times	\$ 260.00 =	\$ 0.00
TOTAL FILING FEE			\$ 760.00
Assignment Recording Fee	1 times	\$ 40.00 =	\$ 40.00
TOTAL FEES			\$ 800.00

A cheque in the amount of \$ 800.00 is enclosed with this Application Transmittal Letter to
cover the filing fees. This form is submitted in duplicate.

Respectfully submitted



Kenneth W. Float
Reg. No. 29,233

The Law Offices of Kenneth W. Float
Office address: 2 Shire, Coto de Caza, CA 92679
Mailing address: P. O. Box 80790, Rancho Santa Margarita, CA 92688
Telephone: (949) 459-5519
Facsimile: (949) 459-5520

PATENT
CY-98055

**METHOD AND APPARATUS FOR INTERNET CACHE
CONTENT DELIVERY VIA A DATA DISTRIBUTION SYSTEM**

John C. Thacker
Michael Wright

**METHOD AND APPARATUS FOR INTERNET CACHE
CONTENT DELIVERY VIA A DATA DISTRIBUTION SYSTEM**

BACKGROUND

The present invention relates generally to data distribution systems, and more particularly, to improved methods and apparatus for providing Internet cache content delivery using a data distribution system.

5 The assignee of the present invention has developed a data distribution system, and in particular, a satellite-based data distribution system, that is used to distribute data supplied by content providers to personal computers of clients. In order to allow clients to have improved response times to obtain data distributed by the data distribution system, an important aspect of the system was developed relating to caching services
10 that addresses this need.

Several companies, including Inktomi, Cache Flow, and NetWork Appliance, for example, currently make cache appliances or specific software which are targeted at Internet service providers. SkyCache is currently operating caching services using satellite communications.

15 It would be an improvement to have a method and apparatus that provides Internet cache content delivery using a data distribution system.

SUMMARY OF THE INVENTION

20 The present invention provides for a cache system and caching method that is used to improve data delivery service provided by a data distribution system, such as a satellite-based data distribution system. The present invention uses a master cache in which predictive harvesting of content is performed based upon probability

distributions of individual caches satisfying requests from their users (clients). Content in the master cache is distributed to user sites by way of the satellite-based data distribution system, and local caches at user sites are automatically loaded with incoming content. The use of the satellite-based data distribution system provides an efficient economic multiplier.

More specifically, an exemplary system comprises a master cache that receives content for distribution by the data distribution system to one or more users. A gateway receives content distributed by the data distribution system from the master cache. One or more local caches store the content received by the gateway destined for the one or more users. Harvesting software processes information from the master cache and the gateway that corresponds to probability distributions that the local caches satisfy requests from their respective users to predictively distribute the desired content to the respective users.

Content distributed by the data distribution system to the gateway is transferred into the local cache by creating a pseudo client on the gateway, receiving an interrupt at the pseudo client indicating that that content has arrived at the gateway, enabling the gateway as a sibling cache for the local cache, requesting content to be transferred from the sibling cache to the local cache, verifying that content has been transferred to the local cache during the transfer process, and disabling the gateway as a sibling cache of the local cache at the completion of the process. The local cache retrieved the content from the sibling cache until all content has been transferred.

The master cache is built by processing statistics derived from the master cache and the local cache to produces a list of content to add to the master cache and a list of content to delete from the master cache. A pseudo client is formed that retrieves and verifies the content to be added to the master cache. The verified content is then transmitted from the master cache to the local cache.

Caching is used to improve the response time of a user (client) that is served by the cache system employed in the data distribution system. Caching also benefits service providers by reducing communications costs between the service environment and the external world. Using satellite transmission services allows cost savings and response times to be further enhanced for a large number of service providers by allowing aggregation of their individual requests.

The use of the satellite-based data distribution system provides for efficient distribution of cache content over a wide geographical area thereby allows many user sites to simultaneously update their local caches. This reduces cost of terrestrial infrastructure for the individual user sites.

BRIEF DESCRIPTION OF THE DRAWINGS

The various features and advantages of the present invention may be more readily understood with reference to the following detailed description taken in conjunction with the accompanying drawings, wherein like reference numerals designate like structural elements, and in which:

Fig. 1 illustrates the architecture of an exemplary caching system in accordance with the principles of the present invention used in conjunction with a satellite-based data distribution system;

Fig. 2 illustrates exemplary apparatus and a method in accordance with the present invention for forcing content into a local cache; and

Fig. 3 illustrates an exemplary method in accordance with the present invention for building the master cache.

DETAILED DESCRIPTION

Referring to the drawing figures, Fig. 1 illustrates the architecture of an exemplary caching system 10 in accordance with the principles of the present invention the invention is used in conjunction with a data distribution system 30, such as a satellite-based data distribution system 30 developed by the assignee of the present invention or an RF data distribution system, for example. An exemplary satellite-based data distribution system 30 comprises a network operations center 11 that includes subsystems and software that permits use of the data distribution system 30 by subscribers (users). This is illustrated as subscriber entitlement 12.

The subscriber entitlement subsystem originates entitlement messages, which activates the entitled gateways to decode the data transmitted over the data distribution system 10.

The satellite-based data distribution system 30 distributes content received from service providers by means of a satellite multicast feed 13 distributed by way of a satellite 14 to a gateway 15, referred to as a CyberStar Enterprise Gateway 15, and which is part of the present caching system 10. The content is typically transmitted in the form of http (hypertext transport protocol) objects such as web pages or ntp (News text transport protocol) objects such as news groups.

Content received by the gateway 15 is transferred to a local cache 20 which is typically located on a user computer or server computer at a user site. For example, the content is stored in the local cache 20 on a server computer and is transferred to a user computer that is coupled to a user network 24 by way of a switch 22, for example. A router 23 is used to connect the user network 24 to the Internet 25.

The exemplary caching system 10 also includes a master cache 18 and harvesting software 17 that is typically disposed on a computer 19 at the network operations center 11. The computer 19 is coupled to the Internet 25 and receives content from content providers for distribution. The computer 19 is coupled by way of a backchannel 16 to the gateway 15. The backchannel 16 may be implemented in a variety of ways, including a dedicated narrowband circuit (telephone), a virtual private narrowband channel, or an internet connection, for example. The backchannel 16 is used to transmit hit/miss data and probability tables from the gateway 15 to the computer 19, and the harvesting software 17 processes information contained in the transmit hit/miss data and probability tables.

Fig. 2 illustrates exemplary apparatus 40 and a method 50 in accordance with the present invention for forcing content into the local cache 20. The apparatus 40 comprises the gateway 15 which is coupled to the local cache 20 as discussed with reference to Fig. 1. The method 50 is implemented in the gateway 15 and processes content received from the satellite 14, typically in the form of a multicast satellite feed. The method 50 comprises the following steps.

Received content 51 is forced into the local cache 20 using the method 50 as follows. An entitlement message is received 52 by the gateway 15 from the subscriber entitlement subsystem that notifies 53 a pseudo client 41 that new objects have arrived. The pseudo client 41 is a computer program which runs on the gateway computer and uses the appropriate communication protocol to communicate with the local cache. An example of this protocol is ICP (Internet Cache Protocol). However, the protocol may also be a proprietary one from a number of cache hardware vendors. The pseudo client 41 also has processes that allow it to control or designate the presedence relationship between the local cache and the gateway.

The pseudo client 41 enables 54 the gateway 15 as a sibling cache 42 for the local cache 20. The standard Internet Protocol (IP), or Internet Cache Protocol (ICP), is used to communicate between the local cache 20 and the sibling cache 42. The pseudo client 41 then requests 55a the new objects 53 having arrived on the sibling cache 42. This request 55a makes use of standard control settings which force the local cache 20 to render any objects resident at the local cache as unable to satisfy the request 55a. The local cache 20 then requests 55b the object from its sibling cache 42. The sibling cache 42 complies by sending 56 the object to the local cache 20. The local cache 20 in turn fowrards the object to the pseudo client 41 thus verifying 57 the object has been transferred to the local cache 20. The pseudo client 41 continues to request 55a objects from the local cache 20 until all the new objects hve been transferred to the local cache 20. During the transfer process, the pseudo client 41 verifies 57 that all

pages have been transferred to the local cache 20. At the completion of the process, the pseudo client 41 disables 58 the gateway 15 as a sibling cache 42 of the local cache 20.

Fig. 3 illustrates an exemplary method 60 in accordance with the present invention for building the master cache 18. The harvest analysis software 17 processes statistics 61 from the master cache 18 and all local caches 20. Parameters and statistics used by the harvest analysis software are, for example, time to live (TTL) the number of times an object was requested, the number of times an object was requested and satisfied by local cache 20 (Hit), the number of times an object was requested and satisfied by a server other than the local cache 20 (miss). Objects are added/dropped according to high mis counts and low hit counts. The TTL parameter can also be adjusted to reduce the object's miss count. The statistics are collected by the local cache 20 as part of its normal operation. These statistics are periodically transferred to the gate way 15.

The harvest analysis software 17 produces a list 62 of objects (corresponding to each item of content) to add to the master cache 18 and a list 64 of objects to delete from the master cache 18. A pseudo client 41a is used to retrieve 65 and verify 66 the objects to be added to the master cache. The master cache forwards 67 the content to the satellite NOC for transmission according to various distribution policies. The satellite NOC adds a level of conditional access onto the transmission stream to provide service to only those sites which have been entitled to the cache service.

Thus, an improved method and apparatus for providing Internet cache content delivery using satellite transmission services have been disclosed. It is to be understood that the described embodiments are merely illustrative of some of the many specific embodiments that represent applications of the principles of the present invention. Clearly, numerous and other arrangements can be readily devised by those skilled in the art without departing from the scope of the invention.

CLAIMS

What is claimed is:

1. A caching system for use with a data distribution system, comprising:
a master cache for receiving content for distribution by the data distribution
system to one or more users;
a gateway for receiving content that is distributed by the data distribution system
5 from the master cache;
one or more local caches for storing the content received by the gateway
destined for the one or more users; and
harvesting software coupled to the master cache and the gateway for processing
information corresponding to probability distributions that the local caches satisfy
10 requests from their respective users to predictively distribute the desired content to the
respective users.
2. The system recited in Claim 1 wherein the harvesting software processes
information contained in transmit hit/miss data and probability tables generated at the
gateway.
3. The system recited in Claim 1 wherein the content comprises http objects.
4. The system recited in Claim 1 wherein the content comprises ntp objects.
5. The system recited in Claim 1 wherein the gateway comprises:
a pseudo client for receiving an entitlement message indicating that that content
has arrived at the gateway, for enabling the gateway as a sibling cache for the local
cache, for requesting content to be transferred from the sibling cache to the local cache,
5 for verifying that content has been transferred to the local cache during the transfer
process, for disabling the gateway as a sibling cache of the local cache at the completion
of the process;
and wherein the local cache retrieves 56 the content from the sibling cache until
all content has been transferred.

6. The method recited in Claim 5 wherein the Internet Protocol is used to communicate between the local cache and the sibling cache.

7. The method recited in Claim 5 wherein the Internet Cache Protocol is used to communicate between the local cache and the sibling cache.

8. The method recited in Claim 1 wherein the harvest analysis software: processes statistics derived from the master cache and the local caches to produces a list of content to add to the master cache and a list of content to delete from the master cache;

- 5 forming a pseudo client to retrieve and verify 66 the content to be added to the master cache; and
transmitting the verified content from the master cache to the local caches.

9. A method for transferring content distributed by a data distribution system to a gateway into a local cache, comprising the steps of:

- creating a pseudo client on the gateway;
receiving an interrupt at the pseudo client indicating that that content has arrived
5 at the gateway;
enabling the gateway as a sibling cache for the local cache;
requesting content to be transferred from the sibling cache to the local cache;
verifying that content has been transferred to the local cache during the transfer process;
10 disabling the gateway as a sibling cache of the local cache at the completion of the process;
causing the local cache to retrieve the content from the sibling cache until all content has been transferred.

10. A method for building a master cache used to transfer content by way of a data distribution system to a local cache, comprising the steps of:

- processing statistics derived from the master cache and the local cache to produces a list of content to add to the master cache and a list of content to delete from
5 the master cache;
forming a pseudo client to retrieve and verify the content to be added to the master cache; and
transmitting the verified content from the master cache to the local cache.

5

5

5




Fig. 1




Fig. 2




Fig. 3

**COMBINED DECLARATION FOR PATENT APPLICATION
AND POWER OF ATTORNEY**

Page 1
PD- CY-98055

- ☒ Original
☐ Continuation
☐ Division
☐ Continuation-in-part
☐ Supplemental
☐ PCT
☐ Design

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Method and Apparatus for Internet Cache Content Delivery Via a Data Distribution System

the specification of which

(check one) ☒ is attached hereto
☐ was filed on _____ as _____
Application Serial No. _____ and (a) [other than supplemental] was amended
on or (b) [supplemental] with amendments through _____

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of the application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Priority Claimed

_____ Number	_____ Country	_____ Day/Month/Year filed
-----------------	------------------	-------------------------------

☐ Yes ☐ No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States applications(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

_____ Application Serial No.	_____ Filing Date	_____ Status (patented, pending, abandoned)
---------------------------------	----------------------	---

DECLARATION

Page 2

PD- CY-98055



I hereby appoint the following attorneys, or agent and attorneys, to prosecute the application and to transact all business in the Patent and Trademark Office connected therewith:

Kenneth W. Float, Registration No. 29,233

Anthony W. Karambelas Registration No. 25,657

Address telephone calls to Kenneth W. Float at (949) 459-5519. Address correspondence to Joyce Kosinski, Patent Administrator, Loral Space and Communications, 655 Deep Valley Drive, Suite 303, Rolling Hills Estates, CA 90274.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST JOINT INVENTOR John C. Thacker	INVENTOR'S SIGNATURE 	DATE 11 June 1999
RESIDENCE 411 San Domingo Way Los Altos CA 94022		CITIZENSHIP U.S.A.
POST OFFICE ADDRESS 411 San Domingo Way, Los Altos, CA 94022		
FULL NAME OF JOINT INVENTOR Michael Wright	INVENTOR'S SIGNATURE 	DATE 1 July 1999
RESIDENCE 25591 Bunker Hill Boulevard Hayward CA 94542		CITIZENSHIP U.S.A.
POST OFFICE ADDRESS 25591 Bunker Hill Boulevard, Hayward, CA 94542		
FULL NAME OF JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP
POST OFFICE ADDRESS		
FULL NAME OF JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP
POST OFFICE ADDRESS		
FULL NAME OF JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP
POST OFFICE ADDRESS		
FULL NAME OF JOINT INVENTOR	INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP
POST OFFICE ADDRESS		